

## **Bab IV**

### **IMPLEMENTASI**

#### **4.1 Spesifikasi Sistem**

##### **4.1.1 Spesifikasi Hardware**

Berikut spesifikasi hardware yang digunakan dalam implementasi tugas akhir ini :

- Sebuah laptop dengan spesifikasi :
- Processor : Intel Core2 Duo CPU T5870 @2.00GHZ
- Memori : 2.00 GB RAM
- Hardisk : 250 GB
- Sebuah Router dengan spesifikasi:
- Processor : MPC8544 800MHz
- Memor : 512 MB RAM
- Main Storage/NAND : 512 MB RAM

##### **4.1.2 Spesifikasi Software**

Berikut spesifikasi hardware yang digunakan dalam implementasi tugas akhir ini

- System operasi : Windows 7
- System operasi : Ubuntu 15 LTS
- Web server : Apache
- Database Server : Mysql
- Web Browser : Chrome
- Software editor : PH

## 4.2 Implementasi

### 4.2.1 Halaman Resource



Gambar 4.1 Halaman Resource

```
<?php
require('routeros_api.class.php');

$API = new routeros_api();

$API->debug = false;

if ($API->connect('xxx', 'xxx', 'xxx')) { // Change this
as necessary

$ARRAY = $API->comm("/system/resource/print");

$first = $ARRAY['0'];

$memperc = ($first['free-memory']/$first['total-memory']);

$hddperc = ($first['free-hdd-space']/$first['total-hdd-
```

```

space' ]);

$mem = ($memperc*100);

$hdd = ($hddperc*100);

//echo "Mikrotik Resources";

//echo "<br />";

$result = count($ARRAY);

print_r ($ARRAY);

echo "<table class='w3-table-all w3-hoverable'>";

echo "<tr><td>Platform, board name and Ros version
is:</td><td>" . $first['platform'] . " - " .
$first['board-name'] . " - " . $first['version'] . " - "
. $first['architecture-name'] . "</td></tr><br />";

echo "<tr><td>Cpu and available cores:</td><td>" .
$first['cpu'] . " at " . $first['cpu-frequency'] . " Mhz
with " . $first['cpu-count'] . " core(s) " .
"</td></tr><br />";

echo "<tr><td>Uptime is:</td><td>" . $first['uptime'] . "
(hh/mm/ss)" . "</td></tr><br />";

echo "<tr><td>Cpu Load is:</td><td>" . $first['cpu-load'] . " %"
. "</td></tr><br />";

echo "<tr><td>Total,free memory and memory % is:</td><td>" .
$first['total-memory'] . "Kb - " . $first['free-memory'] . "Kb -
" . number_format($mem,3) . "% </td></tr><br />";

echo "<tr><td>Total,free disk and disk % is:</td><td>" .
$first['total-hdd-space'] . "Kb - " . $first['free-hdd-space'] .
"Kb - " . number_format($hdd,3) . "% </td></tr><br />";

//echo "<tr><td>Sectors (write,since reboot,bad
blocks):</td><td>" . $first['write-sect-total'] . " - " .
$first['write-sect-since-reboot'] . " - " . $first['bad-blocks']
. "% </td></tr><br />";

echo "</table>";

<script src="assets/highcharts/api/js/jquery-
1.11.3.min.js"></script>

<script src="assets/highcharts/code/highcharts.js"></script>

<script src="https://code.highcharts.com/highcharts-
more.js"></script>

<script

```

```
src="https://code.highcharts.com/modules/exporting.js"></script>

<script>

var cpuload178, memory178;

$(document).ready(function() {    Highcharts.setOptions({
// This is for all plots, change Date axis to local timezone

    global : {

        useUTC : false

    }

});

    cpuload178 = new Highcharts.chart('cpuload', {

chart: {

    type: 'gauge',

    plotBackgroundColor: null,

    plotBackgroundImage: null,

    plotBorderWidth: 0,

    plotShadow: false

},

title: {

    text: 'CPU 178'

},

pane: {

    startAngle: -150,

    endAngle: 150,

    background: [{

        backgroundColor: {

            linearGradient: { x1: 0, y1: 0, x2: 0,

y2: 1 },
```

```

        stops: [
            [0, '#FFF'],
            [1, '#333']
        ]
    },
    borderWidth: 0,
    outerRadius: '109%'
}, {
    backgroundColor: {
        linearGradient: { x1: 0, y1: 0, x2: 0,
y2: 1 },
        stops: [
            [0, '#333'],
            [1, '#FFF']
        ]
    },
    borderWidth: 1,
    outerRadius: '107%'
}, {
    // default background
}, {
    backgroundColor: '#DDD',
    borderWidth: 0,
    outerRadius: '105%',
    innerRadius: '103%'
}]
},
// the value axis
yAxis: {

```

```
min: 0,  
max: 100,  
minorTickInterval: 'auto',  
minorTickWidth: 1,  
minorTickLength: 10,  
minorTickPosition: 'inside',  
minorTickColor: '#666',  
tickPixelInterval: 30,  
tickWidth: 2,  
tickPosition: 'inside',  
tickLength: 10,  
tickColor: '#666',  
labels: {  
  step: 2,  
  rotation: 'auto'  
},  
title: {  
  text: 'CPU (%)'  
},  
plotBands: [{  
  from: 0,  
  to: 60,  
  color: '#55BF3B' // green  
}, {  
  from: 60,  
  to: 80,  
  color: '#DDDF0D' // yellow  
}, {
```

```
        from: 80,
        to: 100,
        color: '#DF5353' // red
    }]
},
series: [{
    name: 'Speed',
    data: [0],
    tooltip: {
        valueSuffix: ' %'
    }
}]
})

memory178 = new Highcharts.chart('memory', {
    chart: {
        type: 'gauge',
        plotBackgroundColor: null,
        plotBackgroundImage: null,
        plotBorderWidth: 0,
        plotShadow: false
    },
    title: {
        text: 'MEMORY 178'
    },
    pane: {
        startAngle: -150,
        endAngle: 150,
        background: [{
```

```

        backgroundColor: {
          linearGradient: { x1: 0, y1: 0, x2: 0,
y2: 1 },
          stops: [
            [0, '#FFF'],
            [1, '#333']
          ]
        },
        borderWidth: 0,
        outerRadius: '109%'
      }, {
        backgroundColor: {
          linearGradient: { x1: 0, y1: 0, x2: 0,
y2: 1 },
          stops: [
            [0, '#333'],
            [1, '#FFF']
          ]
        },
        borderWidth: 1,
        outerRadius: '107%'
      }, {
      }, {
        backgroundColor: '#DDD',
        borderWidth: 0,
        outerRadius: '105%',
        innerRadius: '103%'
      }
    ]
  },

```

```
yAxis: {
  min: 0,
  max: 100,
  minorTickInterval: 'auto',
  minorTickWidth: 1,
  minorTickLength: 10,
  minorTickPosition: 'inside',
  minorTickColor: '#666',
  tickPixelInterval: 30,
  tickWidth: 2,
  tickPosition: 'inside',
  tickLength: 10,
  tickColor: '#666',
  labels: {
    step: 2,
    rotation: 'auto'
  },
  title: {
    text: 'Memory (%)'
  },
  plotBands: [{
    from: 0,
    to: 60,
    color: '#55BF3B'
  }, {
    from: 60,
    to: 80,
    color: '#DDDF0D'
  }
}
```

```
        }, {
            from: 80,
            to: 100,
            color: '#DF5353'
        }
    ]
},

series: [{
    name: 'Memory Usage',
    data: [0],
    tooltip: {
        valueSuffix: ' %
    }
    requestData();
});

function requestData() {
    $.ajax({
        url: 'speedo_server.php',
        success: function(data) {
            var point_cpu =
cpuload178.series[0].points[0];
plotBands: [{
            from: 0,
            to: 60,
            color: '#55BF3B'
        }, {
```

```
from: 60,
    to: 80,
    color: '#DDDF0D'
}, {
    from: 80,
    to: 100,
    color: '#DF5353'
}]
},

series: [{
    name: 'Memory Usage',
    data: [0],
    tooltip: {
        valueSuffix: ' %
requestData();
});
function requestData() {
    $.ajax({
        url: 'speedo_server.php',
        success: function(data) {
            var point_cpu =
cpuload178.series[0].points[0];

            point_cpu.update(parseInt(data[0]));

            var point_memory =
memory178.series[0].points[0];

            point_memory.update(parseInt(data[1]));

            setTimeout(requestData, 1000);
```

```

    },
    cache: false
  });
}
</script>

```

Sesegmen program 4.1 halaman resource

## 4.2.2 Halaman Interface Management

Halaman Interface Management halaman yang berfungsi untuk melihat interface.

**INTERFACE MANAGEMENT**

—★—

The screenshot shows a web interface for managing network interfaces. At the top, there is a search bar and a dropdown menu for the number of records (set to 50). Below this is a table with the following columns: No., Interface, Status, and Ubah. The table contains 10 rows of data, each representing a different network interface. The status of all interfaces is 'Aktif', and each row has a red 'Non Aktifkan' button in the 'Ubah' column.

No.	Interface	Status	Ubah
0	E1-DMZdellPerpusNas	Aktif	Non Aktifkan
1	E2-DMZProxmox1	Aktif	Non Aktifkan
2	E3-DMZsiakad	Aktif	Non Aktifkan
3	E4-DMZbac.kup	Aktif	Non Aktifkan
4	E5-DMZsms	Aktif	Non Aktifkan
5	E6-LAN	Aktif	Non Aktifkan
6	E7-wifiNET	Aktif	Non Aktifkan
7	E8-LabNET	Aktif	Non Aktifkan
8	E9-Proxmox184Lokal	Aktif	Non Aktifkan
9	E10	Aktif	Non Aktifkan

Gambar 4.2 Halaman Interface Management

```

<?php

    require('routeros_api.class.php'); //mikrotik api

    $API = new routeros_api();

    if (!$API->connect('xxx', 'xxx', 'xxx')) die('Gagal konek ke
mikrotik') ;

    if(isset($_GET['id']))

    {

        $id = $_GET['id'];

        if(isset($_GET['enable'])) $API-
>write('/interface/enable',false);

        else if(isset($_GET['disable'])) $API-
>write('/interface/disable',false);

        else header('Location: interface.php');

        $API->write("=numbers=".$id);

        header('Location: interface.php');

    }

    $API->write('/interface/print',false);

    $API->write('=brief=');

    $all_data = $API->read();

    //print_r($all_data);
?>

```

Segmen program 4.2 halaman interface Management

### 4.2.3. Halaman Hotspot User

Halaman Hotspot User untuk melakukan eksekusi add, delete dan edit profil dari user tersebut :

50 records

Search:

User	Profile	Up Time	Status	Option
<input type="text"/>	<input type="text"/>	<input type="text"/>	Semua	
081110009@mhs.stiki.ac.id	Mhs	0s	Enabled	 
081110013@mhs.stiki.ac.id	Mhs	0s	Enabled	 
081110017@mhs.stiki.ac.id	Mhs	2h16m4s	Enabled	 
081110021@mhs.stiki.ac.id	Mhs	5h45m57s	Enabled	 
081110022@mhs.stiki.ac.id	Mhs	0s	Enabled	 
081110030@mhs.stiki.ac.id	Mhs	5h29m38s	Enabled	 
081110040@mhs.stiki.ac.id	Mhs	0s	Enabled	 

Gambar 4.3 Halaman Hotspot User

```
<?php
error_reporting(E_ALL);
include "connect.php";
// simoan database
$tgl = isset($_GET['tgl']) ? $_GET['tgl'] :
date('d-m-Y');
$q = mysqli_query($conn, "select * from hsuser where
tanggal = '$tgl'");
while($x = mysqli_fetch_array($q)) {
echo "user_lan.push($x[lan]);";
}
```

```

        echo "user_lab.push($x[lab]);";
        echo "user_wifi.push($x[wifi]);";
        echo "user_total.push($x[user]);";
    }
    //echo "iki tgl = ".$tgl;
?>
</script>
<html>
    <head>
        <meta http-equiv="Content-Type"
content="text/html; charset=utf-8">
        <title>Grafik </title>
        <script type="text/javascript"
src="https://ajax.googleapis.com/ajax/libs/jquery/1.8.2/jq
uery.min.js"></script>
        <style type="text/css">
        ${demo.css}
        </style>
        <script type="text/javascript">
        $(function () {
            $('#container').highcharts({
                title: {
                    text: 'Grafik pengguna Internet',
                    x: -20 //center
                },
                subtitle: {
                    text: 'STIKI (Sekolah Tinggi Informatika dan
Komputer Indonesia)',
                }
            }
        });
    </head>
        <meta http-equiv="Content-Type"
content="text/html; charset=utf-8">

```

```

<title>Grafik </title>

<script type="text/javascript"
src="https://ajax.googleapis.com/ajax/libs/jquery/1.8.2/jq
uery.min.js"></script>

<style type="text/css">

${demo.css}

</style>

<script type="text/javascript">

$(function () {

    $('#container').highcharts({

        title: {

            text: 'Grafik pengguna Internet',

            x: -20 //center

        },

        subtitle: {

            text: 'STIKI (Sekolah Tinggi Informatika dan
Komputer Indonesia)',

            x: -20

        },

        xAxis: {

            categories:
['00:00', '01:00', '02:00', '03:00', '04:00', '05:00', '06:00', '
07:00', '08:00', '09:00', '10:00', '11:00', '12:00',

            '13:00', '14:00', '15:00', '16:00',
'17:00', '18:00', '19:00', '20:00', '21:00', '22:00',
'23:00']

        },

        yAxis: {

            title: {

                text: 'User '

            },

        },

```

```
        plotLines: [{
            value: 0,
            width: 1,
            color: '#808080'
        }]
    },
    tooltip: {
        valueSuffix: ' User'
    },
    legend: {
        layout: 'vertical',
        align: 'right',
        verticalAlign: 'middle',
        borderWidth: 0
    },
    series: [{
        name: 'LAN',
        data: user_lan
    }, {
        name: 'WiFi',
        data: user_wifi
    }, {
        name: 'LAB',
        data: user_lab
    }, {
        name: 'Total',
        data: user_total
    }
    ],
```

```

    ]

    });
});
function pilihSelect(){
    $('#tanggal').val('<?php echo $tgl;?>');
    $('#tanggal').change(function(){
        //console.log('as')
        window.location="chart2.php?tgl="+$('#tanggal').val
    </script>
</head>
<body onload = 'pilihSelect();'>
<script
src="https://code.highcharts.com/highcharts.js"></script>
<script
src="https://code.highcharts.com/modules/exporting.js"></s
cript>
<div id="container" style="min-width: 510px; height:
400px; margin: 0 auto"></div>
<label for='tanggal'>Pilih Tanggal</label><select id =
'tanggal'>
    <?php $query = "select tanggal from huser group by
tanggal";
    $mq = mysqli_query($conn,$query);
    while ($row = mysqli_fetch_array($mq)){
        echo "<option value='". $row['tanggal']. "'
/>". $row['tanggal']. "</option>";
    }
    ?>
</select>

<script
src="https://code.highcharts.com/highcharts.js"></script>
<script

```

```

src="https://code.highcharts.com/modules/exporting.js"></s
cript>

<div id="container" style="min-width: 510px; height:
400px; margin: 0 auto"></div>

<label for='tanggal'>Pilih Tanggal</label><select id =
'tanggal'>

    <?php $query = "select tanggal from hsuser group by
tanggal";

    $mq = mysqli_query($conn,$query);

    while ($row = mysqli_fetch_array($mq)){

        echo "<option value='".$row['tanggal']."'
/>".$row['tanggal']."</option>";

    }

    ?>

</select>

</body>

</html>


```

Segment Program 4.3 Halama User Hotspot


#### 4.2.4 Halaman Bandwidth

Halaman Bandwith berisi tentang Bandwith yang terpakai dan ditampilkan dalam bentuk grafik

Gambar 4.4 Halaman bandwidth Lab



Gambar 4.5 Halaman bandwidth WiFi





Gambar 4.7 Halaman bandwidth Indihome

```

<?php
require('../ta/connect.php');

$sql="SELECT
        UNIX_TIMESTAMP(tanggal)*1024 AS `time`,
        tx*1024 AS `tx`,
        rx*1024 AS `rx`
    FROM
        bandwidth
    WHERE
        tanggal >= DATE(NOW()) - INTERVAL 1 DAY
        AND interface = 'IndiHome';
$result = mysqli_query($conn,$sql);
$data_indi_tx=array();
$data_indi_rx=array();
while($line = mysqli_fetch_array($result, MYSQL_ASSOC)){
    $data_indi_tx[] = "[".$line['time'].",".$line['tx']."]";
    $data_indi_rx[] = "[".$line['time'].",".$line['rx']."]";
}

$sql="SELECT
        UNIX_TIMESTAMP(tanggal)*1024 AS `time`,
        tx*1024 AS `tx`,
        rx*1024 AS `rx`
    FROM
        bandwidth
    WHERE

```

```

        tanggal >= DATE(NOW()) - INTERVAL 1 DAY
    AND interface = 'E13-RadioIndosat';
$result = mysqli_query($conn,$sql);
$data_indo_tx=array();
$data_indo_rx=array();
while($line = mysqli_fetch_array($result, MYSQL_ASSOC)){
    $data_indo_tx[] = "[".$line['time'].",".$line['tx']."]";
    $data_indo_rx[] = "[".$line['time'].",".$line['rx']."]";
}
$sql="SELECT
    UNIX_TIMESTAMP(tanggal)*1024 AS `time`,
    tx*1024 AS `tx`,
    rx*1024 AS `rx`
FROM
    bandwidth
WHERE
    tanggal >= DATE(NOW()) - INTERVAL 1 DAY
    AND interface = 'BR_VLAN';
$result = mysqli_query($conn,$sql);
$data_vlan_tx=array();
$data_vlan_rx=array();
while($line = mysqli_fetch_array($result, MYSQL_ASSOC)){
    $data_vlan_tx[] = "[".$line['time'].",".$line['tx']."]";
    $data_vlan_rx[] = "[".$line['time'].",".$line['rx']."]";
}
$sql="SELECT
    UNIX_TIMESTAMP(tanggal)*1024 AS `time`,
    tx*1024 AS `tx`,
    rx*1024 AS `rx`
FROM
    bandwidth
WHERE
    tanggal >= DATE(NOW()) - INTERVAL 1 DAY
    AND interface = 'E6-LAN';
$result = mysqli_query($conn,$sql);
$data_6lan_tx=array();
$data_6lan_rx=array();
while($line = mysqli_fetch_array($result, MYSQL_ASSOC)){
    $data_6lan_tx[] = "[".$line['time'].",".$line['tx']."]";
    $data_6lan_rx[] = "[".$line['time'].",".$line['rx']."]";
}
$sql="SELECT
    UNIX_TIMESTAMP(tanggal)*1024 AS `time`,
    tx*1024 AS `tx`,
    rx*1024 AS `rx`
FROM
    bandwidth
WHERE
    tanggal >= DATE(NOW()) - INTERVAL 1 DAY
    AND interface = 'E8-LabNET';
$result = mysqli_query($conn,$sql);
$data_lab_tx=array();
$data_lab_rx=array();
while($line = mysqli_fetch_array($result, MYSQL_ASSOC)){

```

```

        $data_lab_tx[] = "[".$line['time'].",".$line['tx']."]";
        $data_lab_rx[] = "[".$line['time'].",".$line['rx']."]";
    }
?>
<?php
// Set the JSON header
header("Content-type: text/json");
require('../ta/routeros_api.class.php'); //mikrotik api

$API = new routeros_api();

if($API->connect('xxx', 'xxx', 'xxx')){
    $ARRAY = $API->comm("/system/resource/print");
    $first = $ARRAY['0'];
}
$ret=array(
    0=>$first['cpu-load'],
    1=>round(((($first['total-memory']-$first['free-
memory'])/$first['total-memory'])*100,0)
);
echo json_encode($ret);
?>

<?php
require('../ta/connect.php');

<?php
// Set the JSON header
header("Content-type: text/json");
require('../ta/routeros_api.class.php'); //mikrotik api

$API = new routeros_api();

if($API->connect('xxx', 'xxx', 'xxx')){
    $ARRAY = $API->comm("/system/resource/print");
    $first = $ARRAY['0'];
}
$ret=array(
    0=>$first['cpu-load'],
    1=>round(((($first['total-memory']-$first['free-
memory'])/$first['total-memory'])*100,0)
);
echo json_encode($ret);
?>

<?php
require('../ta/connect.php');

$sql="SELECT
        UNIX_TIMESTAMP(tanggal)*1024 AS `time`,
        tx*1024 AS `tx`,
        rx*1024 AS `rx`
    ";

```

```

FROM
    bandwidth
WHERE
    tanggal >= DATE(NOW()) - INTERVAL 1 DAY
    AND interface = 'IndiHome';
$result = mysqli_query($conn,$sql);
$data_indi_tx=array();
$data_indi_rx=array();
while($line = mysqli_fetch_array($result, MYSQL_ASSOC)){
    $data_indi_tx[] = "[".$line['time'].",".$line['tx']."]";
    $data_indi_rx[] = "[".$line['time'].",".$line['rx']."]";
}

$sql="SELECT
    UNIX_TIMESTAMP(tanggal)*1024 AS `time`,
    tx*1024 AS `tx`,
    rx*1024 AS `rx`
FROM
    bandwidth
WHERE
    tanggal >= DATE(NOW()) - INTERVAL 1 DAY
    AND interface = 'E13-RadioIndosat';
$result = mysqli_query($conn,$sql);
$data_indo_tx=array();
$data_indo_rx=array();
while($line = mysqli_fetch_array($result, MYSQL_ASSOC)){
    $data_indo_tx[] = "[".$line['time'].",".$line['tx']."]";
    $data_indo_rx[] = "[".$line['time'].",".$line['rx']."]";
}

$sql="SELECT
    UNIX_TIMESTAMP(tanggal)*1024 AS `time`,
    tx*1024 AS `tx`,
    rx*1024 AS `rx`
FROM
    bandwidth
WHERE
    tanggal >= DATE(NOW()) - INTERVAL 1 DAY
    AND interface = 'BR_VLAN';
$result = mysqli_query($conn,$sql);
$data_vlan_tx=array();
$data_vlan_rx=array();
while($line = mysqli_fetch_array($result, MYSQL_ASSOC)){
    $data_vlan_tx[] = "[".$line['time'].",".$line['tx']."]";
    $data_vlan_rx[] = "[".$line['time'].",".$line['rx']."]";
}

$sql="SELECT
    UNIX_TIMESTAMP(tanggal)*1024 AS `time`,

```

```

        tx*1024 AS `tx`,
        rx*1024 AS `rx`
    FROM
        bandwidth
    WHERE
        tanggal >= DATE(NOW()) - INTERVAL 1 DAY
        AND interface = 'E6-LAN';
$result = mysqli_query($conn,$sql);
$data_6lan_tx=array();
$data_6lan_rx=array();
while($line = mysqli_fetch_array($result, MYSQL_ASSOC)){
    $data_6lan_tx[] = "[".$line['time'].",".$line['tx']."]";
    $data_6lan_rx[] = "[".$line['time'].",".$line['rx']."]";
}
$sql="SELECT
        UNIX_TIMESTAMP(tanggal)*1024 AS `time`,
        tx*1024 AS `tx`,
        rx*1024 AS `rx`
    FROM
        bandwidth
    WHERE
        tanggal >= DATE(NOW()) - INTERVAL 1 DAY
        AND interface = 'E8-LabNET';
$result = mysqli_query($conn,$sql);
$data_lab_tx=array();
$data_lab_rx=array();
while($line = mysqli_fetch_array($result, MYSQL_ASSOC)){
    $data_lab_tx[] = "[".$line['time'].",".$line['tx']."]";
    $data_lab_rx[] = "[".$line['time'].",".$line['rx']."]";
}
?>

<?php
// Set the JSON header
header("Content-type: text/json");
require('../ta/routeros_api.class.php'); //mikrotik api

$API = new routeros_api();

if($API->connect('xxx', 'xxx', 'xxx')){
    $ARRAY = $API->comm("/system/resource/print");
    $first = $ARRAY['0'];
}

<?php
// Set the JSON header

```

```

header("Content-type: text/json");
require('../ta/routeros_api.class.php'); //mikrotik api

$API = new routeros_api();

if($API->connect('xxx', 'xxx', 'xxx')){
    $ARRAY = $API->comm("/system/resource/print");
    $first = $ARRAY['0'];
}

$ret=array(
    0=>$first['cpu-load'],
    1=>round((( $first['total-memory']-$first['free-
memory'])/$first['total-memory'])*100,0)
);
echo json_encode($ret);
?>

$ret=array(
    0=>$first['cpu-load'],
    1=>round((( $first['total-memory']-$first['free-
memory'])/$first['total-memory'])*100,0)
);
echo json_encode($ret);
?>

$ret=array(
    0=>$first['cpu-load'],
    1=>round((( $first['total-memory']-$first['free-
memory'])/$first['total-memory'])*100,0)
);
echo json_encode($ret);
?>

<?php
// Set the JSON header
header("Content-type: text/json");
require('../ta/routeros_api.class.php'); //mikrotik api
require('../ta/connect.php'); //koneksi ke db

$API = new routeros_api();

if ($API->connect('xxx', 'xxx', 'xxx')) {
    $API->write("/interface/monitor-traffic",false);
    $API->write("=interface=IndiHome,E13-RadioIndosat,E6-
LAN,E8-LabNET,BR_VLAN",false);
    $API->write("=once=");
}

```

```

$ARRAY = $API->read();
foreach ($ARRAY as $value) {
    if ($value['name'] == "IndiHome"){
        $ISP2 = $value['name'];
        $RX_ISP2 = intval($value['rx-bits-per-
second']/1000);
        $TX_ISP2 = intval($value['tx-bits-per-
second']/1000);
    }
    if ($value['name'] == "E13-RadioIndosat"){
        $ISP1 = $value['name'];
        $RX_ISP1 = intval($value['rx-bits-per-
second']/1000);
        $TX_ISP1 = intval($value['tx-bits-per-
second']/1000);
    }
    if ($value['name'] == "E6-LAN"){
        $LAN = $value['name'];
        $RX_LAN = intval($value['rx-bits-per-
second']/1000);
        $TX_LAN = intval($value['tx-bits-per-
second']/1000);
    }
    if ($value['name'] == "E8-LabNET"){
        $LAB = $value['name'];
        $RX_LAB = intval($value['rx-bits-per-
second']/1000);
        $TX_LAB = intval($value['tx-bits-per-
second']/1000);
    }
    if ($value['name'] == "BR_VLAN"){
        $WIFI = $value['name'];
        $RX_WIFI = intval($value['rx-bits-per-
second']/1000);
        $TX_WIFI = intval($value['tx-bits-per-
second']/1000);
    }
}
$ARRAY = $API->comm("/system/resource/print");
$first = $ARRAY['0'];
}
// simpan database

$sql = "INSERT INTO bandwidth (ip, tanggal, interface, tx, rx)
VALUES
('xxx', now(), '$ISP1', '$TX_ISP1', '$RX_ISP1'),
('xxx', now(), '$ISP2', '$TX_ISP2', '$RX_ISP2'),

```

```

('xxx', now(), '$LAN', '$TX_LAN', '$RX_LAN'),
('xxx', now(), '$LAB', '$TX_LAB', '$RX_LAB'),
('xxx', now(), '$WIFI', '$TX_WIFI', '$RX_WIFI');"
$result=$conn->query($sql);

if ($API->connect('114.4.32.177', 'xxx', 'xxx')){
    $ARRAY = $API->comm("/system/resource/print");
    $mem = $ARRAY['0'];
}

//Mulai Anomali Monitor

//Ambil rata-rata penggunaan pada hari dan jam yang sama dalam
rentang 30 hari terakhir, dan selain hari ini
$sql="SELECT
    rata30.interface,
    ROUND(ABS(rata30.r_tx-last5.l_tx)/rata30.r_tx*100,2) AS
tx,
    ROUND(ABS(rata30.r_rx-last5.l_rx)/rata30.r_rx*100,2) AS rx
FROM (
SELECT
    interface,
    AVG(tx) AS r_tx,
    AVG(rx) AS r_rx
FROM
    bandwidth
WHERE
    tanggal >= DATE(NOW()) - INTERVAL 30 DAY
AND DAYNAME(tanggal)=DAYNAME(NOW())
AND HOUR(tanggal)=HOUR(NOW())
AND DATE_FORMAT(tanggal, '%d-%m-%Y') <> DATE_FORMAT(NOW(), '%d-%m-
%Y')
GROUP BY
    interface ) rata30 LEFT JOIN (
SELECT
    interface,
    AVG(tx) AS l_tx,
    AVG(rx) AS l_rx
FROM
    bandwidth
WHERE
    tanggal >= date_sub(now(), interval 5 minute)
GROUP BY
    interface
) last5 ON rata30.interface=last5.interface";
$result = mysqli_query($conn,$sql);
$anom=array();

```



```

        if(strlen($sms_msg)>0) $sms_msg.=' ';
        $sms_msg.=( $i.' menjadi '.$interface['status']);
    }
}
}else{
    if(strlen($stat_anom_baru)>0) $stat_anom_baru.=' ';

$stat_anom_baru.="('".$interface['interface']."','".$interface['status
']."'");
    }
}
    if(strlen($stat_anom_baru)>0){
        $sql="INSERT INTO status_anomali (`interface`,`status`) VALUES
".$stat_anom_baru;
        $result = mysqli_query($conn,$sql);
    }
    if(strlen($sms_msg)>0){
        $private_key = '8fgj4578dsd';
        $url = 'http://114.4.32.188/sms/index.php/';
        $phonenumber='081330610559';
        $msg='Perubahan pada interface : '.$sms_msg;

        $public_key =
md5("pub[$private_key|.date('HmYDi')."]bup");
        $url =
$url.$public_key."?telp=$phonenumber&pesan=".urlencode($msg);
        $curlSession = curl_init();
        curl_setopt($curlSession, CURLOPT_URL, $url);
        curl_setopt($curlSession, CURLOPT_BINARYTRANSFER, true);
        curl_setopt($curlSession, CURLOPT_RETURNTRANSFER, true);
        $response = curl_exec($curlSession);
        curl_close($curlSession);

    }
    //Selesai Anomali Monitor
    $x=time() * 1000;
    $ret=array(
        0=>array(
            'rx'=>array($x,$RX_ISP1*1024),
            'tx'=>array($x,$TX_ISP1*1024)
        ),
        1=>array(
            'rx'=>array($x,$RX_ISP2*1024),
            'tx'=>array($x,$TX_ISP2*1024)
        ),
        2=>array(
            'rx'=>array($x,$RX_LAN*1024),

```

```

        'tx'=>array($x,$TX_LAN*1024)
    ),
    3=>array(
        'rx'=>array($x,$RX_LAB*1024),
        'tx'=>array($x,$TX_LAB*1024)
    ),
    4=>array(
        'rx'=>array($x,$RX_WIFI*1024),
        'tx'=>array($x,$TX_WIFI*1024)

        'tx'=>array($x,$TX_LAN*1024)
    ),
    3=>array(
        'rx'=>array($x,$RX_LAB*1024),
        'tx'=>array($x,$TX_LAB*1024)
    ),
    4=>array(
        'rx'=>array($x,$RX_WIFI*1024),
        'tx'=>array($x,$TX_WIFI*1024)

        'tx'=>array($x,$TX_LAN*1024)
    ),
    3=>array(
        'rx'=>array($x,$RX_LAB*1024),
        'tx'=>array($x,$TX_LAB*1024)
    ),
    4=>array(
        'rx'=>array($x,$RX_WIFI*1024),
        'tx'=>array($x,$TX_WIFI*1024)
    ),
    5=>$first['cpu-load'],
    6=>$mem['memory-load'],
    7=>$anom,
    8=>$response,
    9=>$msg
);
echo json_encode($ret);
?>

```

#### Segmen program 4.4 halaman Bandwith